
	DECLARATION OF PERFORMANCE	
		Page 1 of 1
No 04.47		

1. Unique identification code of the product-type:

Bodenguard H-200, 2K

Intended use:

Coating (C) for surface protection of concrete structures according to principles 1(PI), 2 (MC) and 8 (IR)

2. Manufacturer:

Druckfarben Hellas S.A. Megaridos Ave., Kallistiri area, GR-19300 Aspropyrgos, Greece

3. Systems of AVCP (Assessment and Verification of Constancy of Performance):

System 4 & System 3 for Reaction to Fire

4. Harmonised Standard: **EN 1504-2:2004**

Notified Bodies:

TECHNICKY A ZKUSEBNI USTAV STAVEBNI PRAHA s.p. (TZUS), NB 1020

5. Declared Performances:

Essential Characteristics	Performance
Reaction to fire	E _{fl}
Permeability to CO ₂	S _D > 50 m
Permeability to Water Vapour	Class II
Capillary Absorption and permeability to water	$w < 0.1 \text{ kg/m}^2 \cdot \text{h}^{0.5}$
Adhesion strength by pull-off test	$\geq 1.5 \text{ N/mm}^2$
Dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by (legal representative):





Sokratis Vavatsikos

Chemist N.K.U.A.]

Regulatory & Specifications Compliance Manager

Aspropyrgos-GREECE, on 05/01/2026

	DECLARATION OF PERFORMANCE	
		Page 1 of 1
No 04.48		

1. Unique identification code of the product-type:

Bodenguard H-200, 2K

Intended use:

Synthetic resin screed material for use internally in buildings, SR B2,0-AR0,5-IR 4

2. Manufacturer:

Druckfarben Hellas S.A. Megaridos Ave., Kallistiri area, GR-19300 Aspropyrgos, Greece

3. Systems of AVCP (Assessment and Verification of Constancy of Performance):

System 4 & System 3 for Reaction to fire

4. Harmonised Standard: **EN 13813:2002**

Notified Bodies:

TECHNICKY A ZKUSEBNI USTAV STAVEBNI PRAHA s.p. (TZUS), NB 1020

5. Declared Performances:

Essential Characteristics	Performance
Reaction to Fire	Class E _{fl}
Release of Corrosive Substances	SR
Water Permeability	NPD
Wear Resistance (BCA)	AR0,5
Bond Strength	B2,0
Impact Resistance	IR 4
Impact Sound Insulation	NPD
Sound Absorption	NPD
Thermal Resistance	NPD
Chemical Resistance	NPD
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by (legal representative):



Sokratis Vavatsikos

Chemist N.K.U.A. |

Regulatory & Specifications Compliance Manager

Aspropyrgos-Greece, on 05/01/2026