

# TAKING CARE OF WOOD

COLOR CARD

COMPLETE RANGE OF WOOD  
PROTECTION PRODUCTS



DRIVEN BY INNOVATION

[kraftpaints.com](http://kraftpaints.com)



WOOD

# NATURAL PRODUCT WITH NATURAL BEAUTY

The innovative varnish collection by **KRAFT Paints** is specially designed to meet the needs of the Mediterranean climate. It includes suitable wood protection products, offering a wide range of shades to cover all your needs.

**KRAFT Paints** provides both water-based and solvent-based wood protection varnishes that are easy to apply and fully certified. You can choose between natural and selected modern shades that allow the wood grain to remain visible.

In order to offer you products that always **respect the environment and your health**, we chose a biobased formulation. Inspired by plants, the **Wood Shield Color Based** varnish is made up of 43% naturally derived ingredients.

Protect the wooden surface with a unique innovation and give it the aesthetic you desire.



[kraftpaints.com](http://kraftpaints.com)



Water based wood preservative



Wood preservative



Water based polyurethane wood stain varnish



Bio based polyurethane wood stain varnish



Decorative wood stain polyurethane varnish



Decorative polyurethane water-based varnish



Decorative polyurethane varnish



Impregnation oil for hard wood



Yacht varnish

# 3

## USEFUL TIPS FOR WOOD PAINTING

### Cleaning off old varnishes or enamel paints

If the wood has already been coated with varnish or enamel paint, you should sand it thoroughly until the previous layers are removed using the appropriate sandpaper or apply a paint remover to strip off the old paints or varnishes.

**Useful TIP:** Avoid applying the product on days with strong wind or intense sunlight to ensure its effectiveness.

### Preparation with sandpaper

For best results, sand and clean the surface you are going to paint thoroughly, to become as smooth as possible. Sanding with the appropriate sandpaper gives the surface the right texture. Then, remove the dust produced from sanding using a clean cloth.

**Useful TIP:** For small surfaces that don't require heavy sanding, use sponge-type sandpaper.

### Wood painting with varnish

Apply the varnish in the same direction as the wood grain, using smooth, even strokes. Choosing the shade is a personal matter. You can select from the natural wood color palette or a vivid shade that will bring joy to your space.

**Useful TIP:** Dark shades, such as Dark Walnut, protect the wood from sunlight as they act as an additional protective layer.



01



02



03





# Wood Care Aqua

## Water-based wood preservative

- Effective protection against woodworm
- Deeply penetrates the wood
- Prevents fungi and blue stains
- Colorless

WOOD Care Aqua penetrates deeply into the pores of any wooden surface, such as exterior doors, frames, fences, pergolas, wooden claddings, and garden furniture, providing effective protection against mold, fungi, blue stains, and insects like woodworm, beetles, and termites.

It is a colorless water-based wood preservative, suitable for both DIY and professional use, ideal for preparing exterior wooden surfaces before applying varnish.

- **Coverage:** 5m<sup>2</sup>/L per coat
- **Dilution:** Ready to use
- **Drying time:** 1 - 2 hours
- **Shades:** Colorless
- **Packaging:** 750ml, 2.5L



# Wood Care™

## Wood preservative

- Effectively protects against woodworm
- Prevents fungi and blue stains
- Penetrates deep into the wood
- Protects against termites
- Colorless

WOOD Care is a colorless wood preservative, suitable for preparing exterior wooden surfaces before applying varnish.

It penetrates deeply into the pores of any wooden surface, such as exterior doors, frames, fences, pergolas, wooden claddings, garden furniture, and provides effective protection against mold, fungi, blue stains, and insects such as woodworm, beetles, and termites.

- **Coverage:** 5m<sup>2</sup>/L per coat
- **Dilution:** Ready to use
- **Drying time:** 1 - 2 hours
- **Shades:** Colorless
- **Packaging:** 750ml, 2.5L





# Wood Shield™

## Water-based polyurethane wood stain varnish

- High protection against UV radiation
- Protects and waterproofs the wood
- Easy to apply, non-drip
- Dries quickly
- Penetrates deep into the wood
- Resistant to mold

WOOD Shield is an acrylic polyurethane impregnation varnish. It protects, waterproofs, and decorates the wood. Suitable for both exterior and interior wooden surfaces, such as doors, windows, frames, pergolas, fences, and claddings. The integrated UV filters and special additives enhance its hydrophobic properties, effectively protecting against sunlight, rain, moisture, and pollutants.

At the same time, due to the biocides it contains, it effectively prevents the growth of mold and fungi on its surface. It has a very mild odor, deep penetration, and is easy to apply on vertical surfaces or beams as it does not drip. Its elasticity allows it to adapt to the wood's contractions and expansions without cracking or peeling.

- Coverage: 11 - 13m<sup>2</sup>/L per coat
- Dilution: Ready to use
- Drying time: ½ - 1 hour
- Packaging: 750ml, 2.5L



## Finishes Wood Shield™

Colorless and in 11 ready made shades



100 Colorless



112 Mahogany



102 Pine



114 Cherry



104 Oregon




116 Teak



106 Chestnut



118 Dark Walnut



108 Oak



120 Wenge



110 Walnut



122 White

The shades shown may differ from the actual ones due to the printing method.





# Wood Shield™ Color Based

## Biobased polyurethane wood stain varnish

- High protection against UV radiation
- Suitable for both exterior and interior surfaces
- Contains 43% biobased ingredients
- Suitable for toys and children's furniture
- Waterproof
- Easy to apply

**WOOD Shield Color Based** is a water-based alkyd polyurethane impregnation varnish, enhanced with nanotechnology, containing 43% biobased ingredients according to the EN16640:2017 method, verified by an independent certification body. It protects, waterproofs, and decorates the wood.

It is tinted using the **KRAFT INSPIRED COLOR** system in selected semi-transparent glossy shades that highlight the wood grain. Suitable for both exterior and interior wooden surfaces, such as doors, windows, frames, pergolas, fences, claddings, benches, etc. It is also suitable for children's furniture and toys, as it complies with the EN71-3 standard. The integrated UV filters and special additives enhance its water-repellent properties, effectively protecting against sun, rain, moisture, and pollutants. At the same time, thanks to the biocides it contains, it effectively prevents the growth of mold and fungi on its surface.

- **Coverage:** 14 - 16m<sup>2</sup>/L per coat
- **Dilution:** Ready to use
- **Drying time:** 1 - 2 hours
- **Packaging:** 740ml, 2.22L

## Finishes Wood Shield™ Color Based

In 12 colors



124 Fistikia



136 Stahi



126 Amygdalia



138 Haroupi



128 Elia



140 Elato



130 Anemoni



142 Okeanos



132 Limni



144 Lithos



134 Fotia



146 Petra

The shades shown may differ from the actual ones due to the printing method.





# Wood Class™

## Polyurethane wood stain varnish

- High protection against UV radiation
- Excellent durability and elasticity
- Protects against mold and fungi
- Waterproofs the wood
- Penetrates deep into the wood

**WOOD Class** is a solvent-based alkyd polyurethane impregnation varnish. It protects, waterproofs, and decorates wood. Suitable for both exterior and interior wooden surfaces, such as doors, windows, frames, pergolas, fences, and claddings.

The integrated UV filters and its water-repellent properties provide effective protection against sun, rain, and moisture. At the same time, due to the special biocides it contains, it preserves the surface by preventing the growth of mold and fungi.

It penetrates deeply into the wood's pores, allowing it to breathe. Its elasticity enables it to follow the wood's natural expansion and contraction without cracking or peeling.

- **Coverage:** 9 - 11m<sup>2</sup>/L per coat
- **Dilution:** Ready to use
- **Drying time:** 1 - 2 hours
- **Packaging:** 750ml, 2.5L



## Finishes Wood Class™

Colorless and in 8 ready made shades



200 Colorless



202 Pine



210 Mahogany



204 Walnut Light



212 Teak



206 Oregon



214 Walnut Dark



208 Oak



216 Wenge





# Wood Style Aqua™

## Decorative water-based polyurethane wood varnish

- High protection
- Offers crystal-clear transparency
- Excellent elasticity and durability
- Resistant to frequent washing
- Suitable for toys and children's furniture

**WOOD Style Aqua** is a high-quality water-based acrylic polyurethane topcoat varnish.

Suitable for all exterior and interior wooden surfaces, it stands out for its excellent resistance to weather conditions and frequent washing. It is known for its crystal-clear transparency, giving the wood a distinct appearance. It is easily applied, has a mild odor, and spreads beautifully.

Its elasticity allows it to follow the wood's expansions and contractions without cracking or peeling.

- **Coverage:** 10 - 12 m<sup>2</sup>/L per coat
- **Dilution:** 0 - 10% v/v with clean water
- **Drying time:** ½ - 1 hour
- **Shades:** Colorless / gloss, satin, matt
- **Packaging:** 750ml, 2.5L



# Wood Style™

## Decorative wood varnish

- High durability
- Excellent elasticity and hardness
- Superior finish
- Easy application
- Colorless

**WOOD Style** is a high-quality solvent-based alkyd polyurethane topcoat varnish. Suitable for all exterior and interior wooden surfaces.

It stands out for its clarity and strong resistance to stain absorption. It is easy to apply and spreads beautifully. Its elasticity allows it to follow the wood's natural expansions and contractions without cracking or peeling.

- **Coverage:** 12 - 14m<sup>2</sup>/L per coat
- **Dilution:** 5 - 10% v/v with KRAFT brush thinner
- **Drying time:** 2 - 3 hours
- **Shades:** Colorless / gloss, satin
- **Packaging:** 750ml, 2.5L







# Teak & Deck Oil

## Special impregnation oil for hardwoods

- Polyurethane modified
- Waterproofs the surface
- High-tech UV filters
- Contains wax that waterproofs the surface
- Nourishes the wood


TEAK & Deck Oil is a polyurethane-modified special blend of natural oils, enriched with wax and UV filters.

It is ideal for maintaining and refreshing hardwoods or exotic woods such as teak, iroko, bakirai, oak, mahogany, as well as nyatong and meranti, and also bare woods.

Perfect for garden or terrace furniture, pergolas, fences, and wooden boat decks. It deeply fills the wood's pores, prevents water penetration, and offers great resistance to harsh weather conditions.

When used regularly, it nourishes the wood, giving it increased resistance to climate changes and fading.

- Coverage: 12 - 16m<sup>2</sup>/L per coat
- Dilution: Ready to use
- Drying time: 2 - 3 hours
- Shades: Colorless
- Packaging: 750ml, 2.5L



# Yacht Care™

## Yacht varnish

- Protects against seawater salinity
- Prevents peeling and cracking
- Excellent waterproofing
- UV radiation resistance
- Strong durability

YACHT Care is a durable, colorless, protective, and decorative polyurethane-modified varnish with strong UV filters.

It is suitable for all wooden surfaces in outdoor areas, such as wooden boats, yachts, outdoor furniture, pergolas, frames, exterior doors, windows, and railings. It offers excellent durability due to its high content of UV radiation filters and protects against peeling and cracking.

It creates an elastic waterproof surface, providing long-term protection for wood that is exposed to moisture, seawater salinity, and intense sunlight.

- Coverage: 14 - 16m<sup>2</sup>/L per coat
- Dilution: 0 - 5% with KRAFT brush thinner (roller, brush) or KRAFT nitro thinner 1100 (spray gun)
- Drying time: 2 - 4 hours
- Shades: Colorless gloss
- Packaging: 750ml



# WOOD PROTECTION PRODUCTS CHARACTERISTICS

	PRESERVATIVES		VARNISHES						SPECIAL OIL
	Wood Care Aqua	Wood Care™	Wood Shield™	Wood Shield™ Color Based	Wood Class™	Wood Style Aqua™	Wood Style™	Yacht Care™	Teak & Deck Oil
Description	Wood preservative water based	Wood preservative	Woodstain waterbased varnish	Woodstain waterbased varnish	Decorative woodstain varnish	Decorative waterbased varnish	Decorative varnish	Yacht varnish	Special impregnation oil
Interior / Exterior Use	Interior / Exterior Use	Exterior Use	Interior / Exterior Use	Interior / Exterior Use	Interior / Exterior Use	Interior / Exterior Use	Interior / Exterior Use	Exterior Use	Interior / Exterior Use
Protects against woodworm & fungi	Penetrates deep & protects	Penetrates deep & protects	—	—	—	—	—	—	—
UV - filters	—	—	✓	✓	—	—	—	✓	✓
Solvent / Water based	Water based	Solvent based	Water based	Water based	Solvent based	Water based	Solvent based	Διαλύτου	Solvent based
Drying time	1 - 2H	1 - 2H	1/2 - 1H	1 - 2H	1 - 2H	1/2 - 1H	2 - 3H	2 - 4H	2 - 3H
Coverage per coat	5 m²/Lt	5 m²/Lt	11 - 13 m²/Lt	14 - 16 m²/Lt	9 - 11 m²/Lt	10 - 12 m²/Lt	12 - 14 m²/Lt	14 - 16 m²/Lt	12 - 16 m²/Lt
Repaint	24H	24H	24H	24H	24H	24H	24H	24H	24H
Sheen level	Mat	Mat	Semi-mat	Semi-mat	Semi-mat	Gloss / Satin / Mat	Gloss / Satin	Gloss	Natural appearance
Shades	Transparent	Transparent	Transparent, 11 ready made colors	12 colors	Transparent, 8 ready made colors	Transparent	Transparent	Transparent	Transparent
Packaging	750ml & 2,5Lt	750ml & 2,5Lt	750ml & 2,5Lt	740ml & 2,22Lt	750ml & 2,5Lt	750ml & 2,5Lt	750ml & 2,5Lt	750ml	750ml & 2,5Lt





DRIVEN BY INNOVATION

[kraftpaints.com](http://kraftpaints.com)



**210 5519 500** MONDAY - FRIDAY 08:00 - 16:00  
[info@kraftpaints.com](mailto:info@kraftpaints.com)

**DRUCKFARBEN**  
**DI GROUP**

**DRUCKFARBEN HELLAS S.A.**

Megaridos ave., Kalistiri area, 19 300 Aspropyrgos, Attica, Greece  
[www.druckfarbengroup.com](http://www.druckfarbengroup.com)

