



Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: **CL2313B0000**
Product name: **ACCOLADE EXTERIOR EGGSHELL BRIGHT White/Base**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: **100% Acrylic house and trim paint for extreme weather**

1.3. Details of the supplier of the safety data sheet

Name: **Druckfarben Hellas S.A.**
Full address: **MEGARIDOS AVENUE**
District and Country: **19300 ASPROPYRGOS (ATTIKI) GREECE**
Tel.: **+30 210 5519500**
Fax: **+30 210 5519501**
e-mail address of the competent person responsible for the Safety Data Sheet: **psafety@druckfarben.gr**

1.4. Emergency telephone number

For urgent inquiries refer to: **0030-210-7793777**

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.

Hazard classification and indication: --

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal word: --

Hazard statements:

H314 Causes skin irritation.
H315 Causes eye irritation.
H317 May cause an allergic skin reaction.
H335 Irritation to the respiratory system.
H410 Very toxic to aquatic life with long lasting effects.
Safety data sheet available on request.
Contains: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
1,2-Benzisothiazol-3(2H)-one
May produce an allergic reaction.

Precautionary statements:

P201 + **P202** Wear protective gloves / protective clothing / eye protection / face protection / hearing protection.
P273 Avoid release into the environment.
P501 Dispose of contents / container to an approved waste disposal plant or recycled in accordance with local / national / international regulations.
P102 Keep out of reach of children.
P101 If medical advice is needed, have product container or label at hand.
P312 Call a POISON CENTRE / doctor, if you feel unwell.

SECTION 2. Hazards identification ... / >>

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
TITANIUM DIOXIDE		
INDEX	$9 \leq x < 30$	
EC	236-675-5	
CAS	13463-67-7	
REACH Reg.	01-2119489379-17-0000	01-2119489379-17-0197 01-2119489379-17
1,2-Benzisothiazol-3(2H)-one		
INDEX	$0 < x < 0,036$	Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1, Skin Sens. 1 H317: $\geq 0,036\%$
EC	220-120-9	LD50 Oral: 1150 mg/kg, ATE Inhalation mists/powders: 0,051 mg/l
CAS	2634-33-5	
REACH Reg.	01-2120761540-60-xxxx	
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		
INDEX	$0 < x < 0,0015$	Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Skin Corr. 1C H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100, EUH071
EC	611-341-5	Skin Corr. 1C H314: $\geq 0,6\%$, Skin Irrit. 2 H315: $\geq 0,06\%$ - $< 0,6\%$, Skin Sens. 1 H317: $\geq 0,0015\%$, Eye Dam. 1 H318: $\geq 0,6\%$, Eye Irrit. 2 H319: $\geq 0,06\%$ - $< 0,6\%$
CAS	55965-84-9	ATE Oral: 100 mg/kg, ATE Dermal: 50,001 mg/kg, ATE Inhalation vapours: 0,501 mg/l
REACH Reg.	01-2120764691-48	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

No effects requiring implementation of special first aid measures are expected. The following information represents practical indications of correct behaviour in the event of contact with a chemical product, even if not hazardous.

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.



SECTION 4. First aid measures ... / >>

4.3. Indication of any immediate medical attention and special treatment needed

Call a POISON CENTRE / doctor, if you feel unwell.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

SECTION 7. Handling and storage ... / >>

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

Country	Regulatory Reference
BGR	България НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.28 от 2 Април 2024г.)
DEU	Deutschland WirkungDosisNOAELMAK-und BAT-Werte-Liste 2024 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe
FRA	France Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021
GRC	Ελλάδα Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ "σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία"»
POL	Polska ROZPORZĄDZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 24 czerwca 2024 r. zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România HOTĂRÂRE nr. 179 din 28 februarie 2024 pentru modificarea și completarea Hotărârii Guvernului nr. 1.093/2006 privind stabilirea cerințelor minime de securitate și sănătate pentru protecția lucrătorilor împotriva riscurilor legate de expunerea la agenți ca
RUS	Россия ПОСТАНОВЛЕНИЕ от 13 февраля 2018 г. N 25 ОБ УТВЕРЖДЕНИИ ГИГИЕНИЧЕСКИХ НОРМАТИВОВ ГН 2.2.5.3532-18 "ПРЕДЕЛЬНО ДОПУСТИМЫЕ КОНЦЕНТРАЦИИ (ПДК) ВРЕДНЫХ ВЕЩЕСТВ В ВОЗДУХЕ РАБОЧЕЙ ЗОНЫ"
GBR	United Kingdom ACGIH EH40/2005 Workplace exposure limits (Fourth Edition 2020) ACGIH 2025

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Threshold Limit Value

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations
AGW	DEU	0,05				SKIN

TITANIUM DIOXIDE

Threshold Limit Value

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations
TLV	BGR	10				RESP
MAK	DEU	0,3		2,4		RESP Hinweis
VLEP	FRA	10				
TLV	GRC		10			
NDS/NDSch	POL	10				INHAL
TLV	ROU	10		15		
ПДК	RUS	10				a, Ф
WEL	GBR	10				INHAL
WEL	GBR	4				RESP
ACGIH		0,2				RESP

IOKAL Ultra Fine (CaCO3)

Threshold Limit Value

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations
VLEP	FRA	10				
NDS/NDSch	POL	10				INHAL

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

SECTION 8. Exposure controls/personal protection ... / >>

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	pasty liquid	Temperature: 25 °C
Colour	off-White	Temperature: 25 °C
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9	Concentration: 100 % Temperature: 25 °C
Kinematic viscosity	>20,5 mm ² /sec (40°C)	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	0,8-1,2 g/cm ³	Temperature: 25 °C
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Total solids (250°C / 482°F) 56,62 %



SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:	Not classified (no significant component)
ATE (Oral) of the mixture:	Not classified (no significant component)
ATE (Dermal) of the mixture:	Not classified (no significant component)

TITANIUM DIOXIDE LD50 (Oral):	> 10000 mg/kg Rat
----------------------------------	-------------------

1,2-Benzisothiazol-3(2H)-one LD50 (Dermal):	> 2000 mg/kg Rat
LD50 (Oral):	1150 mg/kg Mouse

SECTION 11. Toxicological information ... / >>

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

LD50 (Dermal):	1000 mg/kg Rat
LD50 (Oral):	550 mg/kg Rat
LC50 (Inhalation vapours):	0,31 mg/l Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
1,2-Benzisothiazol-3(2H)-one

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class Viscosity: >20,5 mm²/sec (40°C)

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

1,2-Benzisothiazol-3(2H)-one	
LC50 - for Fish	0,8 mg/l/96h Oncorhynchus mykiss (Ιριδίζουσα πέστροφα)
EC50 - for Algae / Aquatic Plants	4,4 mg/l/72h Daphnia magna (Νερόψυλλος ο μέγας)

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	
LC50 - for Fish	0,58 mg/l/96h
EC50 - for Algae / Aquatic Plants	0,161 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	0,032 mg/l 96h

12.2. Persistence and degradability

**KRAFT**
PAINTS
DRIVEN BY INNOVATION

Druckfarben Hellas S.A.

ACCOLADE EXTERIOR EGGSHELL BRIGHT White/BaseRevision nr.3
Dated 10/03/2026
Printed on 10/03/2026
Page n. 8 / 11
Replaced revision:2 (Dated 15/04/2025)

EN

SECTION 12. Ecological information ... / >>

TITANIUM DIOXIDE

Solubility in water < 0,001 mg/l

Degradability: information not available

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
NOT rapidly degradable 30 %, Exposure time: 28 d, OECD Test Guideline 301B

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

SECTION 14. Transport information ... / >>

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

<u>Product</u>	
Point	40
<u>Contained substance</u>	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
 not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1C	Skin corrosion, category 1C
Skin Corr. 1	Skin corrosion, category 1
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1



SECTION 16. Other information ... / >>

H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH210	Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)

SECTION 16. Other information ... / >>

21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)
28. Regulation (EU) 2024/2865

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 08 / 09 / 11 / 12 / 15.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: **CL2313B0002**
Product name: **ACCOLADE EXTERIOR EGGSHELL DEEP Base**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: **100% Acrylic house and trim paint for extreme weather**

1.3. Details of the supplier of the safety data sheet

Name: **Druckfarben Hellas S.A.**
Full address: **MEGARIDOS AVENUE**
District and Country: **19300 ASPROPYRGOS (ATTIKI)**
GREECE
Tel.: **+30 210 5519500**
Fax: **+30 210 5519501**
e-mail address of the competent person responsible for the Safety Data Sheet: **psafety@druckfarben.gr**

1.4. Emergency telephone number

For urgent inquiries refer to: **0030-210-7793777**

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.

Hazard classification and indication: --

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal word: --

Hazard statements:

H314 Causes skin irritation.
H315 Causes mild skin irritation.
H317 May cause an allergic skin reaction.
H335 Irritation to the respiratory system.
H410 Very toxic to aquatic life with long lasting effects.
Safety data sheet available on request.
Contains: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
1,2-Benzisothiazol-3(2H)-one
May produce an allergic reaction.

Precautionary statements:

P201 + **P202** Attention / Read the label and all safety data sheets.
P273 Avoid release into the environment.
P501 Dispose of contents / container to an approved waste disposal plant or recycled in accordance with local / national / international regulations.
P102 Keep out of reach of children.
P101 If medical advice is needed, have product container or label at hand.
P312 Call a POISON CENTRE / doctor, if you feel unwell.

SECTION 2. Hazards identification ... / >>

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
TITANIUM DIOXIDE		
INDEX	$1 \leq x < 5$	
EC	236-675-5	
CAS	13463-67-7	
REACH Reg.	01-2119489379-17-0000	01-2119489379-17-0197 01-2119489379-17
1,2-Benzisothiazol-3(2H)-one		
INDEX	$0 < x < 0,036$	Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1, Skin Sens. 1 H317: $\geq 0,036\%$
EC	220-120-9	LD50 Oral: 1150 mg/kg, ATE Inhalation mists/powders: 0,051 mg/l
CAS	2634-33-5	
REACH Reg.	01-2120761540-60-xxxx	
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		
INDEX	$0 < x < 0,0015$	Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Skin Corr. 1C H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100, EUH071
EC	611-341-5	Skin Corr. 1C H314: $\geq 0,6\%$, Skin Irrit. 2 H315: $\geq 0,06\%$ - $< 0,6\%$, Skin Sens. 1 H317: $\geq 0,0015\%$, Eye Dam. 1 H318: $\geq 0,6\%$, Eye Irrit. 2 H319: $\geq 0,06\%$ - $< 0,6\%$
CAS	55965-84-9	ATE Oral: 100 mg/kg, ATE Dermal: 50,001 mg/kg, ATE Inhalation vapours: 0,501 mg/l
REACH Reg.	01-2120764691-48	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

No effects requiring implementation of special first aid measures are expected. The following information represents practical indications of correct behaviour in the event of contact with a chemical product, even if not hazardous.

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

SECTION 4. First aid measures ... / >>

4.3. Indication of any immediate medical attention and special treatment needed

Call a POISON CENTRE / doctor, if you feel unwell.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

SECTION 7. Handling and storage ... / >>

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.28 от 2 Април 2024г.)
DEU	Deutschland	WirkungDosisNOAELMAK-und BAT-Werte-Liste 2024 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ "σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία"»
POL	Polska	ROZPORZĄDZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 24 czerwca 2024 r. zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România	HOTĂRÂRE nr. 179 din 28 februarie 2024 pentru modificarea și completarea Hotărârii Guvernului nr. 1.093/2006 privind stabilirea cerințelor minime de securitate și sănătate pentru protecția lucrătorilor împotriva riscurilor legate de expunerea la agenți ca
RUS	Россия	ПОСТАНОВЛЕНИЕ от 13 февраля 2018 г. N 25 ОБ УТВЕРЖДЕНИИ ГИГИЕНИЧЕСКИХ НОРМАТИВОВ ГН 2.2.5.3532-18 "ПРЕДЕЛЬНО ДОПУСТИМЫЕ КОНЦЕНТРАЦИИ (ПДК) ВРЕДНЫХ ВЕЩЕСТВ В ВОЗДУХЕ РАБОЧЕЙ ЗОНЫ"
GBR	United Kingdom ACGIH	EH40/2005 Workplace exposure limits (Fourth Edition 2020) ACGIH 2025

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Threshold Limit Value

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations
AGW	DEU	0,05				SKIN

TITANIUM DIOXIDE

Threshold Limit Value

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations
TLV	BGR	10				RESP
MAK	DEU	0,3		2,4		RESP Hinweis
VLEP	FRA	10				
TLV	GRC		10			
NDS/NDSch	POL	10				INHAL
TLV	ROU	10		15		
ПДК	RUS	10				a, Ф
WEL	GBR	10				INHAL
WEL	GBR	4				RESP
ACGIH		0,2				RESP

IOKAL Ultra Fine (CaCO3)

Threshold Limit Value

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations
VLEP	FRA	10				
NDS/NDSch	POL	10				INHAL

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

SECTION 8. Exposure controls/personal protection ... / >>

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	pasty liquid	Temperature: 25 °C
Colour	off-White	Temperature: 25 °C
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9	Concentration: 100 % Temperature: 25 °C
Kinematic viscosity	>20,5 mm ² /sec (40°C)	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	0,8-1,2 g/cm ³	Temperature: 25 °C
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Total solids (250°C / 482°F) 47,77 %



SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:	Not classified (no significant component)
ATE (Oral) of the mixture:	Not classified (no significant component)
ATE (Dermal) of the mixture:	Not classified (no significant component)

TITANIUM DIOXIDE LD50 (Oral):	> 10000 mg/kg Rat
----------------------------------	-------------------

1,2-Benzisothiazol-3(2H)-one LD50 (Dermal): LD50 (Oral):	> 2000 mg/kg Rat 1150 mg/kg Mouse
--	--------------------------------------

SECTION 11. Toxicological information ... / >>

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

LD50 (Dermal):	1000 mg/kg Rat
LD50 (Oral):	550 mg/kg Rat
LC50 (Inhalation vapours):	0,31 mg/l Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
1,2-Benzisothiazol-3(2H)-one

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class Viscosity: >20,5 mm²/sec (40°C)

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

1,2-Benzisothiazol-3(2H)-one	
LC50 - for Fish	0,8 mg/l/96h Oncorhynchus mykiss (Ιριδίζουσα πέστροφα)
EC50 - for Algae / Aquatic Plants	4,4 mg/l/72h Daphnia magna (Νερόψυλλος ο μέγας)

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	
LC50 - for Fish	0,58 mg/l/96h
EC50 - for Algae / Aquatic Plants	0,161 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	0,032 mg/l 96h

12.2. Persistence and degradability



SECTION 12. Ecological information ... / >>

TITANIUM DIOXIDE

Solubility in water < 0,001 mg/l

Degradability: information not available

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
NOT rapidly degradable 30 %, Exposure time: 28 d, OECD Test Guideline 301B

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

SECTION 14. Transport information ... / >>

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

<u>Product</u>	
Point	40
<u>Contained substance</u>	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1C	Skin corrosion, category 1C
Skin Corr. 1	Skin corrosion, category 1
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1

SECTION 16. Other information ... / >>

H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH210	Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)



SECTION 16. Other information ... / >>

21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)
28. Regulation (EU) 2024/2865

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 08 / 09 / 11 / 12 / 15.



Δελτίο Δεδομένων Ασφαλείας

Σύμφωνα με το Παράρτημα II του REACH - Κανονισμός (ΕΕ) 2020/878

ΤΜΗΜΑ 1. Αναγνωριστικός κωδικός ουσίας/μείγματος και εταιρείας/επιχείρησης

1.1. Αναγνωριστικός κωδικός προϊόντος

Κωδικός: **CL2313B0003**
Όνομασία Προϊόντος: **ACCOLADE EXTERIOR EGGSHELL NEUTRAL Βάση**

1.2. Συναφείς προσδιοριζόμενες χρήσεις της ουσίας ή του μείγματος και αντενδεικνυόμενες χρήσεις

Σκοπούμενη Χρήση: **100% Ακρυλικό χρώμα για βαφή και διακόσμηση κατοικιών υπό ακραίες καιρικές συνθήκες**

1.3. Στοιχεία του προμηθευτή του δελτίου δεδομένων ασφαλείας

Επωνυμία: **Druckfarben Hellas S.A.**
Διεύθυνση: **MEGARIDOS AVENUE**
Τοποθεσία και Κράτος: **19300 ASPROPYRGOS (ΑΤΤΙΚΙ)**
GREECE
Τηλ.: **+30 210 5519500**
Fax: **+30 210 5519501**

διεύθυνση ηλεκτρονικού ταχυδρομείου του αρμοδίου που είναι υπεύθυνος για το Δελτίο Δεδομένων Ασφαλείας

psafety@druckfarben.gr

1.4. Αριθμός τηλεφώνου επείγουσας ανάγκης

Για επείγουσες πληροφορίες απευθυνθείτε σε **0030-210-7793777**

ΤΜΗΜΑ 2. Προσδιορισμός επικινδυνότητας

2.1. Ταξινόμηση της ουσίας ή του μείγματος

Το προϊόν δεν έχει ταξινόμηση κινδύνου κατά τις διατάξεις του Κανονισμός (ΕΚ) 1272/2008 (CLP).
Το προϊόν σε κάθε περίπτωση εμπεριέχοντας επικίνδυνες ουσίες σε συγκέντρωση τέτοια που θα πρέπει να ανακοινωθεί στον τομέα αρ.3, απαιτεί μια κάρτα δεδομένων ασφαλείας με κατάλληλες πληροφορίες, σε συμφωνία με τις διατάξεις του Κανονισμός (ΕΕ) 2020/878.

Ταξινόμηση και υπόδειξη κινδύνου: --

2.2. Στοιχεία επισήμανσης

Επικέτες κινδύνου σύμφωνα με τον Κανονισμός (ΕΚ) 1272/2008 (CLP) και τις μεταγενέστερες τροποποιήσεις και προσαρμογές.

Εικονογράμματα κινδύνου: --

Προειδοποιητική λέξη: --

Δηλώσεις επικινδυνότητας:

H210
H208

Δελτίο δεδομένων ασφαλείας παρέχεται εφόσον ζητηθεί.
Περιέχει: Μίγμα των: 5-χλωρο-2-μεθυλο-4-ισοθειαζολιν-3-όνη [EC no. 247-500-7] και 2-μεθυλο-2H-ισοθειαζολ-3-όνη [EC no. 220-239-6] (3:1) 1,2-βενζοϊσοθειαζολ-3(2H)-όνη
Μπορεί να προκαλέσει αλλεργική αντίδραση.

Δηλώσεις προφυλάξεων:

P280

Να φοράτε προστατευτικά γάντια / προστατευτικά ενδύματα / μέσα ατομικής προστασίας για τα μάτια / το πρόσωπο / τα αυτιά.

P501

Διάθεση του περιεχομένου / περιέκτη σε κατάλληλο χώρο απορριμμάτων ή ανακύκλωσης σύμφωνα με τους τοπικούς / εθνικούς / διεθνείς κανονισμούς.

P102

Μακριά από παιδιά.

P101

Εάν ζητήσετε ιατρική συμβουλή, να έχετε μαζί σας τον περιέκτη του προϊόντος ή την ετικέτα.

ΤΜΗΜΑ 2. Προσδιορισμός επικινδυνότητας ... / >>

P312

Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ / γιατρό, αν αισθανθείτε αδιαθεσία.

2.3. Άλλοι κίνδυνοι

Με βάση τα διαθέσιμα δεδομένα, το προϊόν δεν εμπεριέχει ουσίες PBT ή vPvB σε ποσοστό \geq από 0,1%.

Το προϊόν δεν περιέχει ουσίες με ιδιότητες διαταραχής με το ενδοκρινικό σύστημα σε συγκέντρωση \geq 0,1%.

ΤΜΗΜΑ 3. Σύνθεση/πληροφορίες για τα συστατικά

3.2. Μείγματα

Περιέχει:

Αναγνώριση

x = Συγκ. %

Κατηγοριοποίηση (ΕΚ) 1272/2008 (CLP)

1,2-βενζοϊσοθειαζολ-3(2H)-όνη

INDEX 613-088-00-6 $0 < x < 0,036$

Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Ερεθ. Δέρμ. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1
Skin Sens. 1 H317: $\geq 0,036\%$
LD50 Στοματική: 1150 mg/kg, ATE Εισπνοή νεφών/κονιορτών: 0,051 mg/l

CE 220-120-9

CAS 2634-33-5

Εγγρ. REACH 01-2120761540-60-xxxx

Μίγμα των: 5-χλωρο-2-μεθυλο-4-ισοθειαζολιν-3-όνη [EC no. 247-500-7] και 2-μεθυλο-2H-ισοθειαζολ-3-όνη [EC no. 220-239-6] (3:1)

INDEX 613-167-00-5 $0 < x < 0,0015$

Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Διάβρ. Δέρμ. 1G H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100, EUH071

CE 611-341-5

Διάβρ. Δέρμ. 1G H314: $\geq 0,6\%$, Ερεθ. Δέρμ. 2 H315: $\geq 0,06\%$ - $< 0,6\%$, Skin Sens. 1 H317: $\geq 0,0015\%$, Eye Dam. 1 H318: $\geq 0,6\%$, Eye Irrit. 2 H319: $\geq 0,06\%$ - $< 0,6\%$

CAS 55965-84-9

ATE Στοματική: 100 mg/kg, ATE Δερματική: 50,001 mg/kg, ATE Εισπνοή ατμών: 0,501 mg/l

Εγγρ. REACH 01-2120764691-48

Το πλήρες κείμενο των υποδείξεων κινδύνου (H) αναγράφεται στον τομέα 16 της κάρτας.

ΤΜΗΜΑ 4. Μέτρα πρώτων βοηθειών

4.1. Περιγραφή των μέτρων πρώτων βοηθειών

Δεν αναμένονται επιδράσεις που απαιτούν την εφαρμογή ειδικών μέτρων πρώτων βοηθειών. Οι ακόλουθες πληροφορίες είναι πρακτικές ενδείξεις σωστής συμπεριφοράς σε περίπτωση επαφής με μια χημική ουσία, που δεν είναι επικίνδυνη.

Σε περίπτωση αμφιβολίας ή παρουσία συμπτωμάτων επικοινωνήστε με γιατρό και δείξτε του το παρόν έγγραφο.

Σε περίπτωση σοβαρών συμπτωμάτων, ζητήστε αμέσως ιατρική βοήθεια.

ΜΑΤΙΑ: Αφαιρέστε τυχόν φακούς επαφής αν η κατάσταση σας επιτρέπει να εκτελέσετε την εργασία με ευκολία. Ξεπλυθείτε άμεσα με άφθονο νερό για τουλάχιστον 15 λεπτά, ανοίγοντας καλά τα βλέφαρα. Ζητήστε άμεσα την συμβουλή ενός γιατρού.

ΔΕΡΜΑ: Βγάλτε τα μολυσμένα ρούχα. Πλύντε αμέσως με άφθονο τρεχούμενο νερό (και, αν είναι δυνατό, με σαπούνι). Επισκεφθείτε γιατρό.

Αποφύγετε περαιτέρω επαφή με τα μολυσμένα ρούχα.

ΚΑΤΑΠΟΣΗ: Μην προκαλείτε εμετό αν δεν έχετε την έγκριση του γιατρού. Μην χορηγείτε τίποτα δια του στοματός αν το υποκείμενο είναι αναισθητό. Ζητήστε άμεσα την συμβουλή ενός γιατρού.

ΕΙΣΠΝΟΗ: Μετακινήστε το άτομο σε ανοικτό αέρα, μακριά από το χώρο του ατυχήματος. Ζητήστε άμεσα την συμβουλή ενός γιατρού.

Προστασία των διασωστών

Είναι καλή πρακτική για τον διασώστη που βοηθά ένα άτομο που έχει εκτεθεί σε μια χημική ουσία ή σε ένα μείγμα, να φέρει μέσα ατομικής προστασίας. Η φύση αυτής της προστασίας εξαρτάται από τους κινδύνους της ουσίας ή του μείγματος, από την λειτουργία έκθεσης και την έκταση της μόλυνσης. Ελλείψει άλλης πιο συγκεκριμένης καθοδήγησης, συνιστάται η χρήση γαντιών μιας χρήσης σε περίπτωση επαφής με τα υγρά του σώματος. Για τον τύπο των ΜΑΠ κατάλληλων για τα χαρακτηριστικά της ουσίας ή του μείγματος, ανατρέξτε στην ενότητα 8.

4.2. Σημαντικότερα συμπτώματα και επιδράσεις, άμεσες ή μεταγενέστερες

Δεν είναι γνωστές συγκεκριμένες πληροφορίες σχετικά με συμπτώματα και επιπτώσεις που να προκλήθηκαν από το προϊόν.

ΚΑΘΥΣΤΕΡΗΜΕΝΑ ΑΠΟΤΕΛΕΣΜΑΤΑ: Βάσει των πληροφοριών που διατίθενται σήμερα, δεν είναι γνωστές περιπτώσεις με καθυστερημένες συνέπειες μετά την έκθεση σε αυτό το προϊόν.



ΤΜΗΜΑ 4. Μέτρα πρώτων βοηθειών ... / >>

4.3. Ένδειξη οποιασδήποτε απαιτούμενης άμεσης ιατρικής φροντίδας και ειδικής θεραπείας

Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ / γιατρό, αν αισθανθείτε αδιαθεσία.

Μεσα που θα πρέπει να έχετε στην διάθεση σας στην περιοχή εργασίας για την άμεση ειδική θεραπεία

Τρεχούμενο νερό για το δέρμα και το πλύσιμο των ματιών.

ΤΜΗΜΑ 5. Μέτρα για την καταπολέμηση της πυρκαγιάς

5.1. Πυροσβεστικά μέσα

ΚΑΤΑΛΛΗΛΑ ΜΕΣΑ ΠΥΡΟΣΒΕΣΗΣ

Ο εξοπλισμός πυρόσβεσης θα πρέπει να είναι του τύπου: διοξείδιο του άνθρακα, αφρός, πούδρα και νέφος νερού.

ΜΕΣΑ ΠΥΡΟΣΒΕΣΗΣ ΠΟΥ ΔΕΝ ΠΡΕΠΕΙ ΝΑ ΧΡΗΣΙΜΟΠΟΙΗΘΟΥΝ ΓΙΑ ΛΟΓΟΥΣ ΑΣΦΑΛΕΙΑΣ

Κανένα ιδιαίτερο.

5.2. Ειδικοί κίνδυνοι που προκύπτουν από την ουσία ή το μείγμα

ΚΙΝΔΥΝΟΙ ΑΠΟ ΤΗΝ ΕΚΘΕΣΗ ΣΕ ΠΕΡΙΠΤΩΣΗ ΦΩΤΙΑΣ

Μην αναπνέετε προϊόντα από την καύση.

5.3. Συστάσεις για τους πυροσβέστες

ΓΕΝΙΚΕΣ ΠΛΗΡΟΦΟΡΙΕΣ

Χρησιμοποιείτε πίεση νερού για να ψύξετε τα δοχεία και να εμποδίσετε την αποσύνθεση και την δημιουργία οσίων πιθανόν επικίνδυνων για την υγεία. Φοράτε πάντα πλήρη αντιπυρικό εξοπλισμό. Συλλέξτε το νερό της πυρόσβεσης για να μη χυθεί στο αποχετευτικό σύστημα.

Απορρίψτε το μολυσμένο νερό από την πυρόσβεση και τα υπολείμματα από τη φωτιά σύμφωνα με τους ισχύοντες κανονισμούς.

ΕΞΟΠΛΙΣΜΟΣ

Κανονικός ιματισμός για την πυρόσβεση, όπως μια αναπνευστική συσκευή πεπιεσμένου αέρα ανοικτού κυκλώματος (EN 137), πυρασφαλής στολή (EN469), πυρασφαλή γάντια (EN 659) και μπότες για Πυροσβέστες (HO A29 ή A30).

ΤΜΗΜΑ 6. Μέτρα για την αντιμετώπιση τυχαίας έκλυσης

6.1. Προσωπικές προφυλάξεις, προστατευτικός εξοπλισμός και διαδικασίες έκτακτης ανάγκης

Κλείστε τη διαρροή αν δεν υπάρχει κίνδυνος.

Φορέστε κατάλληλα συστήματα προστασίας (συμπεριλαμβανομένων των συστημάτων ατομικής προστασίας κατά την παράγραφο 8 της κάρτας δεδομένων ασφαλείας) ώστε να προβλεφθούν μολύνσεις του δέρματος, των ματιών και του ατομικού ιματισμού. Αυτές οι υποδείξεις είναι έγκυρες είτε για τους υπεύθυνους επεξεργασίας είτε για τις παρεμβάσεις έκτακτης ανάγκης.

6.2. Περιβαλλοντικές προφυλάξεις

Το προϊόν να μην χύνεται στους υπονόμους, σε επίγεια και υπόγεια ύδατα.

6.3. Μέθοδοι και υλικά για περιορισμό και καθαρισμό

Πραγματοποιήστε την αναρρόφηση του προϊόντος σε κατάλληλο δοχείο. Αξιολογήστε την συμβατότητα του δοχείου προς χρήση με το προϊόν, επιβεβαιώνοντας την παράγραφο 10. Αναρροφήσατε το υπόλοιπο με ουδέτερο απορροφητικό υλικό.

Βεβαιωθείτε ότι η περιοχή με τη διαρροή αερίζεται καλά. Ακατάλληλα υλικά πρέπει να απορρίπτονται όπως προβλέπεται παρακάτω στο σημείο 13.

6.4. Παραπομπή σε άλλα τμήματα

Ενδεχόμενες πληροφορίες που αφορούν τα μέσα ατομικής προστασίας και την αποικοδόμηση αναγράφονται στους τομείς 8 και 13.

ΤΜΗΜΑ 7. Χειρισμός και αποθήκευση

7.1. Προφυλάξεις για ασφαλή χειρισμό

Χειριστείτε το προϊόν αφού συμβουλευτείτε όλα τα μέρη αυτής της κάρτας ασφαλείας. Αποφύγετε την διάχυση του προϊόντος στο περιβάλλον.

Μην τρώτε, μην πίνετε και μην καπνίζετε κατά την διάρκεια της χρήσης της μηχανής. Αφαιρέστε τα μολυσμένα ενδύματα και τα συστήματα προστασίας πριν από την πρόσβαση στις ζώνες εστίασης.

7.2. Συνθήκες ασφαλούς φύλαξης, συμπεριλαμβανομένων τυχόν ασυμβίβαστων καταστάσεων

Διατηρείτε μόνο στο αρχικό δοχείο. Διατηρείτε τα δοχεία κλειστά, σε χώρο καλά αεριζόμενο, μακριά από τις άμεσες ηλιακές ακτίνες.

Διατηρήστε τα δοχεία μακριά από ενδεχομένως ασύμβατα υλικά, επιβεβαιώνοντας την παράγραφο 10.



Druckfarben Hellas S.A.

ACCOLADE EXTERIOR EGGSHELL NEUTRAL Βάση

Αναθεώρηση αρ.2
Ημερομ. Αναθ. 10/03/2026
Τυπώθηκε στις 10/03/2026
Σελίδα αρ. 4 / 10
Αντικαθιστά την αναθεώρηση:1 (Ημερομ. Αναθ. 19/03/2025)

EL

ΤΜΗΜΑ 7. Χειρισμός και αποθήκευση ... / >>

7.3. Ειδική τελική χρήση ή χρήσεις

Μη διαθέσιμες πληροφορίες

ΤΜΗΜΑ 8. Έλεγχος της έκθεσης/ατομική προστασία

8.1. Παράμετροι ελέγχου

Ρυθμιστικές αναφορές:

DEU Deutschland WirkungDosisNOAELMAK-und BAT-Werte-Liste 2024 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe

Μίγμα των: 5-χλωρο-2-μεθυλο-4-ισοθειαζολιν-3-όνη [EC no. 247-500-7] και 2-μεθυλο-2H-ισοθειαζολ-3-όνη [EC no. 220-239-6] (3:1)

Οριακή τιμή κατωφλίου

Τύπος	Κράτος	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Σημειώσεις / Παρατηρήσεις
AGW	DEU	0,05				ΔΕΡΜΑ

Υπομνημα:

(C) = CEILING ; ΕΙΣΠΝ = Εισπνεύσιμο κλάσμα ; ΑΝΑΠ = Αναπνεύσιμο κλάσμα ; ΘΩΡΑΚ = Θωρακικό κλάσμα.

8.2. Έλεγχοι έκθεσης

Καθώς η χρήση επαρκούς τεχνικού εξοπλισμού πρέπει να είναι προτεραιότητα για τον εξοπλισμό ατομικής προστασίας, βεβαιωθείτε ότι ο χώρος εργασίας αερίζεται αποτελεσματικά.

ΠΡΟΣΤΑΣΙΑ ΧΕΡΙΩΝ

Προστατεύστε τα χέρια με γάντια εργασίας κατηγορίας III.

Κατά την επιλογή του υλικού των γαντιών εργασίας θα πρέπει να λαμβάνονται υπόψη τα ακόλουθα (βλ. πρότυπο EN 374): συμβατότητα, υποβάθμισης, χρόνος διείσδυσης.

Σε περίπτωση παρασκευασμάτων η αντίσταση γαντιών εργασίας θα πρέπει να ελέγχονται για την αντοχή τους πριν τη χρήση τους. Το όριο των γαντιών εξαρτάται από τη διάρκεια έκθεσή τους.

ΠΡΟΣΤΑΣΙΑ ΔΕΡΜΑΤΟΣ

Χρησιμοποιήστε ρούχα εργασίας με μακρύ μανίκι και κάλτσες ασφαλείας για επαγγελματική χρήση κατηγορίας I (αναφ. Κοινοτικής οδηγίας 2016/425 και Κανονισμός EN ISO 20344). Πλυθείτε με νερό και σαπούνι μετά από την αφαίρεση του προστατευτικού ιματισμού.

ΠΡΟΣΤΑΣΙΑ ΜΑΤΙΩΝ

Προτείνεται η χρήση ερμητικά προστατευτικών γυαλιών (βλ. πρότυπο EN ISO 16321).

ΠΡΟΣΤΑΣΙΑ ΤΟΥ ΑΝΑΠΝΕΥΣΤΙΚΟΥ

Η χρήση των μέσων προστασίας των αναπνευστικών οδών είναι αναγκαία σε περίπτωση που τα υιοθετούμενα τεχνικά μέτρα που λαμβάνονται δεν επαρκούν για τον περιορισμό της έκθεσης του εργαζομένου στις αναφορικές τιμές κατωφλίου. Προτείνεται η χρήση μιας μάσκας με φίλτρο τύπου A του οποίου η κλάση (1, 2 ή 3) θα πρέπει να είναι επιλεγμένη σε σχέση με την οριακή συγκέντρωση χρήσης. (βλ. πρότυπο EN 14387).

Στην περίπτωση κατά την οποία η εν λόγω ουσία είναι άοσμη ή το οσφρητικό όριο είναι μεγαλύτερο από το σχετικό TLV-TWA και σε περίπτωση έκτακτης ανάγκης, φορέστε μια αναπνευστική συσκευή πεπιεσμένου αέρα (αναφ. Κανονισμός EN 137) ή μια αναπνευστική συσκευή εξωτερικού αερισμού (αναφ. Κανονισμός EN 138). Για την σωστή επιλογή του συστήματος προστασίας των αναπνευστικών οδών, ανατρέξτε στον κανονισμό EN 529.

ΈΛΕΓΧΟΙ ΤΗΣ ΠΕΡΙΒΑΛΛΟΝΤΙΚΗΣ ΈΚΘΕΣΗΣ

Οι εκπομπές των παραγωγικών διαδικασιών, συμπεριλαμβανομένων των συσκευών αερισμού θα πρέπει να ελέγχονται με σκοπό την τήρηση των κανονισμών επί των θεμάτων προστασίας του περιβάλλοντος.

ΤΜΗΜΑ 9. Φυσικές και χημικές ιδιότητες

9.1. Στοιχεία για τις βασικές φυσικές και χημικές ιδιότητες

Ιδιότητες

Φυσική κατάσταση

Χρώμα

Οσμή

Σημείο τήξεως / σημείο πήξεως

Αρχικό σημείο ζέσης

Αναφλεξιμότητα

Χαμηλότερη όρια εκρηκτικότητας

Ανώτερη όρια εκρηκτικότητας

Σημείο ανάφλεξης

Θερμοκρασία αυτοανάφλεξης

Θερμοκρασία αποσύνθεσης

Τιμή

υγρό παστώδες

υπόλευκο

χαρακτηριστικό

μη διαθέσιμο

μη διαθέσιμο

μη διαθέσιμο

μη διαθέσιμο

μη διαθέσιμο

> 60 °C

μη διαθέσιμο

μη διαθέσιμο

Πληροφορίες

Θερμοκρασία: 25 °C

Θερμοκρασία: 25 °C



ΤΜΗΜΑ 9. Φυσικές και χημικές ιδιότητες ... / >>

pH	9	Συγκέντρωση: 100 % Θερμοκρασία: 25 °C
Κινηματικό ιξώδες	>20,5 mm ² /sec (40°C)	
Διαλυτότητα	μη διαθέσιμο	
Συντελεστής κατανομής: n-οκτανόλη/νερό	μη διαθέσιμο	
Πίεση ατμών	μη διαθέσιμο	
Πυκνότητα ή/και σχετική πυκνότητα	0,8-1,2 g/cm ³	Θερμοκρασία: 25 °C
Σχετική πυκνότητα ατμών	μη διαθέσιμο	
Χαρακτηριστικά σωματιδίων	δεν ισχύει	

9.2. Άλλες πληροφορίες

9.2.1. Πληροφορίες σχετικά με τις κλάσεις φυσικού κινδύνου

Μη διαθέσιμες πληροφορίες

9.2.2. Άλλα χαρακτηριστικά ασφαλείας

Ολικά στερεά (250°C / 482°F) 44,71 %

ΤΜΗΜΑ 10. Σταθερότητα και αντιδραστικότητα

10.1. Αντιδραστικότητα

Δεν υπάρχουν ιδιαίτεροι κίνδυνοι αντίδρασης με άλλες ουσίες στις κανονικές συνθήκες χρήσης και αποθήκευσης.

10.2. Χημική σταθερότητα

Το προϊόν είναι σταθερό στις κανονικές συνθήκες χρήσης και αποθήκευσης.

10.3. Πιθανότητα επικίνδυνων αντιδράσεων

Σε κανονικές καταστάσεις χρήσης και αποθήκευσης δεν προβλέπονται επικίνδυνες αντιδράσεις.

10.4. Συνθήκες προς αποφυγήν

Καμία ιδιαίτερη. Πραγματοποιήστ εις συνθήκες προφυλάξεις έναντι των χημικών προϊόντων.

10.5. Μη συμβατά υλικά

Μη διαθέσιμες πληροφορίες

10.6. Επικίνδυνα προϊόντα αποσύνθεσης

Μη διαθέσιμες πληροφορίες

ΤΜΗΜΑ 11. Τοξικολογικές πληροφορίες

Κατά την έλλειψη τοξικολογικών πειραμάτων στο ίδιο το προϊόν, οι ενδεχόμενοι κίνδυνοι του προϊόντος για την υγεία αξιολογήθηκαν με βάση των ιδιοτήτων των εμπεριεχομένων ουσιών, σύμφωνα με τα προβλεπόμενα κριτήρια από τον Κανονισμό αναφοράς για την κατάταξη. Γι' αυτό λάβετε υπόψη σας την συγκέντρωση κάθε μιας επικίνδυνης ουσίας που ενδεχομένως αναφέρονται στην παρ.3, για την αξιολόγηση των τοξικολογικών αποτελεσμάτων που προέρχονται από την έκθεση του προϊόντος.

11.1. Πληροφορίες για τις τάξεις κινδύνου, όπως ορίζονται στον Κανονισμό (ΕΚ) αριθ. 1272/2008

Μεταβολισμός, κινητική, μηχανισμός δράσης και άλλες πληροφορίες

Μη διαθέσιμες πληροφορίες

Πληροφορίες για πιθανές οδούς έκθεσης

Μη διαθέσιμες πληροφορίες

Καθυστερημένες και άμεσες επιπτώσεις καθώς και χρόνιες επιπτώσεις από βραχυχρόνια και μακροχρόνια έκθεση



ΤΜΗΜΑ 11. Τοξικολογικές πληροφορίες ... / >>

Μη διαθέσιμες πληροφορίες

Διαδραστικές επιπτώσεις

Μη διαθέσιμες πληροφορίες

ΟΞΕΙΑ ΤΟΞΙΚΟΤΗΤΑ

ATE (Εισπνοή) του μείγματος: Δεν έχει ταξινομηθεί (κανένα σημαντικό συστατικό)
ATE (Στοματική) του μείγματος: Δεν έχει ταξινομηθεί (κανένα σημαντικό συστατικό)
ATE (Δερματική) του μείγματος: Δεν έχει ταξινομηθεί (κανένα σημαντικό συστατικό)

1,2-βενζοϊσοθειαζολ-3(2H)-όνη
LD50 (Δερματική): > 2000 mg/kg Rat
LD50 (Στοματική): 1150 mg/kg Mouse

Μίγμα των: 5-χλωρο-2-μεθυλο-4-ισοθειαζολιν-3-όνη [EC no. 247-500-7] και 2-μεθυλο-2H-ισοθειαζολ-3-όνη [EC no. 220-239-6] (3:1)
LD50 (Δερματική): 1000 mg/kg Rat
LD50 (Στοματική): 550 mg/kg Rat
LC50 (Εισπνοή ατμών): 0,31 mg/l Rat

ΔΙΑΒΡΩΣΗ ΚΑΙ ΕΡΕΘΙΣΜΟΣ ΤΟΥ ΔΕΡΜΑΤΟΣ

Δεν πληροί τα κριτήρια ταξινόμησης για την συγκεκριμένη τάξη κινδύνου

ΣΟΒΑΡΗ ΖΗΜΙΑ / ΕΡΕΘΙΣΜΟΣ ΤΩΝ ΜΑΤΙΩΝ

Δεν πληροί τα κριτήρια ταξινόμησης για την συγκεκριμένη τάξη κινδύνου

ΕΥΑΙΣΘΗΤΟΠΟΙΗΣΗ ΤΟΥ ΑΝΑΠΝΕΥΣΤΙΚΟΥ Ή ΕΥΑΙΣΘΗΤΟΠΟΙΗΣΗ ΤΟΥ ΔΕΡΜΑΤΟΣ

Μπορεί να προκαλέσει αλλεργική αντίδραση.

Περιέχει:

Μίγμα των: 5-χλωρο-2-μεθυλο-4-ισοθειαζολιν-3-όνη [EC no. 247-500-7] και 2-μεθυλο-2H-ισοθειαζολ-3-όνη [EC no. 220-239-6] (3:1)
1,2-βενζοϊσοθειαζολ-3(2H)-όνη

ΜΕΤΑΛΛΑΞΙΓΕΝΕΣΗ ΒΛΑΣΤΙΚΩΝ ΚΥΤΤΑΡΩΝ

Δεν πληροί τα κριτήρια ταξινόμησης για την συγκεκριμένη τάξη κινδύνου

ΚΑΡΚΙΝΟΓΕΝΕΣΗ

Δεν πληροί τα κριτήρια ταξινόμησης για την συγκεκριμένη τάξη κινδύνου

ΤΟΞΙΚΟΤΗΤΑ ΓΙΑ ΤΗΝ ΑΝΑΠΑΡΑΓΩΓΗ

Δεν πληροί τα κριτήρια ταξινόμησης για την συγκεκριμένη τάξη κινδύνου

ΕΙΔΙΚΗ ΤΟΞΙΚΟΤΗΤΑ ΣΤΑ ΟΡΓΑΝΑ-ΣΤΟΧΟΥΣ (STOT) - ΕΦΑΠΑΞ ΈΚΘΕΣΗ

Δεν πληροί τα κριτήρια ταξινόμησης για την συγκεκριμένη τάξη κινδύνου

ΕΙΔΙΚΗ ΤΟΞΙΚΟΤΗΤΑ ΣΤΑ ΟΡΓΑΝΑ-ΣΤΟΧΟΥΣ (STOT) - ΕΠΑΝΕΙΛΗΜΜΕΝΗ ΈΚΘΕΣΗ

Δεν πληροί τα κριτήρια ταξινόμησης για την συγκεκριμένη τάξη κινδύνου

ΚΙΝΔΥΝΟΣ ΑΠΟ ΑΝΑΡΡΟΦΗΣΗ

Δεν πληροί τα κριτήρια ταξινόμησης για την συγκεκριμένη τάξη κινδύνου Ιξώδες: >20,5 mm²/sec (40°C)

11.2. Πληροφορίες για άλλους τύπους επικινδυνότητας

Με βάση τα διαθέσιμα δεδομένα, το προϊόν δεν περιέχει ουσίες που περιλαμβάνονται στους κύριους Ευρωπαϊκούς καταλόγους των δυνητικών ή ύποπτων ενδοκρινικών διαταρακτών με επιπτώσεις στην ανθρώπινη υγεία υπό αξιολόγηση.



ΤΜΗΜΑ 12. Οικολογικές πληροφορίες

Χρησιμοποιείτε σύμφωνα με τις καλές πρακτικές εργασίας αποφεύγοντας να ρίψετε το προϊόν στο περιβάλλον. Ειδοποιήστε τις αρμόδιες αρχές αν το προϊόν φτάσει σε υδάτινα ρεύματα ή αν εμόλυνε το έδαφος ή τη βλάστηση.

12.1. Τοξικότητα

1,2-βενζοϊσοθειαζολ-3(2H)-όνη
LC50 - Ψάρια 0,8 mg/l/96h Oncorhynchus mykiss (Ιριδίζουσα πέστροφα)
EC50 - Φύκια / Υδρόβια Φυτά 4,4 mg/l/72h Daphnia magna (Νερόψυλλος ο μέγας)

Μίγμα των: 5-χλωρο-2-μεθυλο-4-ισοθειαζολιν-3-όνη [EC no. 247-500-7] και 2-μεθυλο-2H-ισοθειαζολ-3-όνη [EC no. 220-239-6] (3:1)
LC50 - Ψάρια 0,58 mg/l/96h
EC50 - Φύκια / Υδρόβια Φυτά 0,161 mg/l/72h
NOEC Χρόνιο Φύκια / Υδρόβια φυτά 0,032 mg/l 96h

12.2. Ανθεκτικότητα και ικανότητα αποδόμησης

Μίγμα των: 5-χλωρο-2-μεθυλο-4-ισοθειαζολιν-3-όνη [EC no. 247-500-7] και 2-μεθυλο-2H-ισοθειαζολ-3-όνη [EC no. 220-239-6] (3:1)
ΟΧΙ ταχέως διασπασίμο 30 %, Exposure time: 28 d, OECD Test Guideline 301B

12.3. Δυνατότητα βιοσυσσώρευσης

Μη διαθέσιμες πληροφορίες

12.4. Κινητικότητα στο έδαφος

Μη διαθέσιμες πληροφορίες

12.5. Αποτελέσματα της αξιολόγησης ABT και αΑαB

Με βάση τα διαθέσιμα δεδομένα, το προϊόν δεν εμπεριέχει ουσίες PBT ή vPvB σε ποσοστό \geq από 0,1%.

12.6. Ιδιότητες ενδοκρινικής διαταραχής

Με βάση τα διαθέσιμα δεδομένα, το προϊόν δεν περιέχει ουσίες που περιλαμβάνονται στους κύριους Ευρωπαϊκούς καταλόγους των δυνητικών ή ύποπτων ενδοκρινικών διαταρακτών με περιβαλλοντικές επιπτώσεις υπό αξιολόγηση.

12.7. Άλλες αρνητικές επιπτώσεις

Μη διαθέσιμες πληροφορίες

ΤΜΗΜΑ 13. Στοιχεία σχετικά με τη διάθεση

13.1. Μέθοδοι διαχείρισης αποβλήτων

Επαναχρησιμοποιήστε όταν είναι δυνατόν. Υπόλοιπα καθαρού προϊόντος πρέπει να θεωρούνται μη επικίνδυνα απόβλητα. Η απόρριψη θα πρέπει να γίνεται από εγκεκριμένο φορέα διαχείρισης αποβλήτων, σύμφωνα με τους εθνικούς και τοπικούς κανονισμούς. Η διαχείριση των αποβλήτων που προκύπτουν από τη χρήση ή τη διασπορά αυτού του προϊόντος πρέπει να οργανώνεται σύμφωνα με τους κανονισμούς επαγγελματικής ασφάλειας. Βλέπε ενότητα 8 για πιθανή ανάγκη για ΜΑΠ. ΑΚΑΤΑΛΛΗΛΗ ΣΥΣΚΕΥΑΣΙΑ
Ακατάλληλες συσκευασίες θα πρέπει να ανακτώνται ή να απορρίπτονται σύμφωνα με το εθνικούς κανόνες διαχείρισης αποβλήτων.

ΤΜΗΜΑ 14. Πληροφορίες σχετικά με τη μεταφορά

Το προϊόν δεν θεωρείται επικίνδυνο σύμφωνα με τις ισχύουσες διατάξεις σε ζητήματα μεταφοράς επικίνδυνων εμπορευμάτων οδικά (A.D.R.), σιδηροδρομικά (RID), θαλάσσια (IMDG code) και αεροπορικά (IATA).

14.1. Αριθμός ΟΗΕ ή αριθμός ταυτότητας

δεν ισχύει



ΤΜΗΜΑ 14. Πληροφορίες σχετικά με τη μεταφορά ... / >>

14.2. Οικεία ονομασία αποστολής ΟΗΕ

δεν ισχύει

14.3. Τάξη/-εις κινδύνου κατά τη μεταφορά

δεν ισχύει

14.4. Ομάδα συσκευασίας

δεν ισχύει

14.5. Περιβαλλοντικοί κίνδυνοι

δεν ισχύει

14.6. Ειδικές προφυλάξεις για τον χρήστη

δεν ισχύει

14.7. Θαλάσσιες μεταφορές χύδην σύμφωνα με τις πράξεις του IMO

Μη σχετική πληροφορία

ΤΜΗΜΑ 15. Στοιχεία νομοθετικού χαρακτήρα

15.1. Κανονισμοί/νομοθεσία σχετικά με την ασφάλεια, την υγεία και το περιβάλλον για την ουσία ή το μείγμα

Κατηγορία Seveso - Οδηγία 2012/18/ΕΕ:

Καμία

Περιορισμοί σχετικοί με το προϊόν ή άλλες ουσίες που εμπεριέχονται σύμφωνα με το Συνημμένο XVII του Κανονισμού (ΕΚ) 1907/2006

Προϊόν

Σημείο 40

Εμπεριεχόμενες ουσίες

Σημείο 75

Κανονισμός (ΕΕ) 2019/1148 - σχετικά με την κυκλοφορία στην αγορά και τη χρήση πρόδρομων ουσιών εκρηκτικών υλών

δεν ισχύει

Ουσίες που υπόκεινται στην Candidate List (Αρ. 59 REACH)

Με βάση τα διαθέσιμα δεδομένα, το προϊόν δεν εμπεριέχει ουσίες SVHC σε ποσοστό \geq από 0,1%.

Ουσίες που υπόκεινται σε εξουσιοδότηση (Συνημμένο XIV REACH)

Καμία

Ουσίες που υπόκεινται στην υποχρέωση γνωστοποίησης εξαγωγής Κανονισμός (ΕΕ) 649/2012:

Καμία

Ουσίες που υπόκεινται στην Σύμβαση του Ρότερνταμ:

Καμία

Ουσίες που υπόκεινται στην Σύμβαση της Στοκχόλμης:

Καμία

Υγειονομικοί έλεγχοι

Μη διαθέσιμες πληροφορίες

15.2. Αξιολόγηση χημικής ασφάλειας

Δεν έχει πραγματοποιηθεί εκτίμηση χημικής ασφάλειας για το μείγμα / για τις ουσίες που αναφέρονται στην ενότητα 3.

ΤΜΗΜΑ 16. Άλλες πληροφορίες

Κείμενο υποδείξεων κινδύνου (H) που αναφέρονται στους τομείς 2-3 της κάρτας:

Acute Tox. 2	Οξέος κινδύνου, κατηγορία 2
Acute Tox. 3	Οξέος κινδύνου, κατηγορία 3
Acute Tox. 4	Οξέος κινδύνου, κατηγορία 4
Διάβρ. Δέρμ. 1Γ	Διάβρωση του δέρματος, κατηγορία 1C
Διάβρ. Δέρμ. 1	Διάβρωση του δέρματος, κατηγορία 1
Eye Dam. 1	Σοβαρή οφθαλμική βλάβη, κατηγορία 1
Eye Irrit. 2	Οφθαλμική ερεθισμός, κατηγορία 2
Ερεθ. Δέρμ. 2	Ερεθισμός του δέρματος, κατηγορία 2
Skin Sens. 1	Ευαισθητοποίηση του δέρματος, κατηγορία 1
Aquatic Acute 1	Επικίνδυνο για το υδάτινο περιβάλλον, οξέος κινδύνου, κατηγορία 1
Aquatic Chronic 1	Επικίνδυνο για το υδάτινο περιβάλλον, χρόνιου κινδύνου, κατηγορία 1
H310	Θανατηφόρο σε επαφή με το δέρμα.
H330	Θανατηφόρο σε περίπτωση εισπνοής.
H301	Τοξικό σε περίπτωση κατάποσης.
H302	Επιβλαβές σε περίπτωση κατάποσης.
H314	Προκαλεί σοβαρά δερματικά εγκαύματα και οφθαλμικές βλάβες.
H318	Προκαλεί σοβαρή οφθαλμική βλάβη.
H319	Προκαλεί σοβαρό οφθαλμικό ερεθισμό.
H315	Προκαλεί ερεθισμό του δέρματος.
H317	Μπορεί να προκαλέσει αλλεργική δερματική αντίδραση.
H400	Πολύ τοξικό για τους υδρόβιους οργανισμούς.
H410	Πολύ τοξικό για τους υδρόβιους οργανισμούς, με μακροχρόνιες επιπτώσεις.
EUH071	Διαβρωτικό της αναπνευστικής οδού.
EUH210	Δελτίο δεδομένων ασφαλείας παρέχεται εφόσον ζητηθεί.

ΥΠΟΜΝΗΜΑ:

- ADR: Ευρωπαϊκός Κανονισμός για την οδική μεταφορά των επικίνδυνων εμπορευμάτων
- ΑΝΩΤΑΤΟΥ ΟΡΙΟΥ TLV: Συγκέντρωση που δεν θα πρέπει να υπερβαίνεται οποιαδήποτε στιγμή κατά την εργασιακή έκθεση.
- ATE / EOT: Εκτίμηση Οξείας Τοξικότητας
- CAS: Αριθμός του Chemical Abstract Service
- CE50: Συγκέντρωση που χορηγεί αποτέλεσμα στο 50% του υποκείμενου πληθυσμού στο test
- CE: Αναγνωριστικός αριθμός σε ESIS (Ευρωπαϊκό αρχείο των υπαρχόντων ουσιών)
- CLP: Κανονισμός (ΕΚ) 1272/2008
- DNEL: Παραγόμενο επίπεδο χωρίς αποτέλεσμα
- EmS: Δελτίο Έκτακτης ανάγκης
- GHS: Γενικό εναρμονισμένο σύστημα για την ταξινόμηση και ετικετοποίηση των χημικών προϊόντων
- IATA DGR: Κανονισμός για την μεταφορά επικίνδυνων προϊόντων της Διεθνούς Ένωσης εναέριας μεταφοράς
- IC50: Συγκέντρωση ακινητοποίησης του 50% του υποκείμενου στο test πληθυσμού
- IMDG: Διεθνής θαλάσσιος κωδικός για την μεταφορά των επικίνδυνων εμπορευμάτων
- IMO: International Maritime Organization [Διεθνής Θαλάσσια Οργάνωση]
- INDEX: Αναγνωριστικός αριθμός του Συνημμένου VI του CLP
- LC50: Θανατηφόρα συγκέντρωση 50%
- LD50: Θανατηφόρα δόση 50%
- OEL: Επίπεδο της έκθεσης κινητικότητας
- PBT: Ανθεκτική, βιοσυσσωρεύσιμη και τοξική
- PEC: Προβλεπόμενη περιβαλλοντική συγκέντρωση
- PEL: Προβλεπόμενο επίπεδο έκθεσης
- PMT: Ανθεκτική, ευκίνητη και τοξική
- PNEC: Προβλεπόμενη συγκέντρωση χωρίς επιπτώσεις
- REACH: Κανονισμός (ΕΚ) 1907/2006
- RID: Κανονισμός για την διεθνή μεταφορά επικίνδυνων εμπορευμάτων στο τρένο
- TLV: Οριακή τιμή κατωφλίου
- TWA: Μέση οριακή έκθεση
- TWA STEL: Όριο σύντομης έκθεσης
- VOC: Πτητική οργανική ένωση
- vPvB: Άκρως ανθεκτική και άκρως βιοσυσσωρεύσιμη
- vPvM: Άκρως ανθεκτική και άκρως ευκίνητη
- WGK: Wassergefährdungsklassen (Deutschland).

ΓΕΝΙΚΗ ΒΙΒΛΙΟΓΡΑΦΙΑ:

1. Κανονισμός (ΕΚ) 1907/2006 (REACH)
2. Κανονισμός (ΕΚ) 1272/2008 (CLP)
3. Κανονισμός (ΕΕ) 2020/878 (Παρ. II Κανονισμός REACH)



KRAFT
PAINTS
DRIVEN BY INNOVATION

Druckfarben Hellas S.A.

ACCOLADE EXTERIOR EGGSHELL NEUTRAL Βάση

Αναθεώρηση αρ.2
Ημερομ. Αναθ. 10/03/2026
Τυπώθηκε στις 10/03/2026
Σελίδα αρ. 10 / 10
Αντικαθιστά την αναθεώρηση:1 (Ημερομ. Αναθ. 19/03/2025)

EL

ΤΜΗΜΑ 16. Άλλες πληροφορίες ... / >>

- Κανονισμός (ΕΚ) 790/2009 (I Atp. CLP)
- Κανονισμός (ΕΕ) 286/2011 (II Atp. CLP)
- Κανονισμός (ΕΕ) 618/2011 (III Atp. CLP)
- Κανονισμός (ΕΕ) 487/2013 (IV Atp. CLP)
- Κανονισμός (ΕΕ) 944/2013 (V Atp. CLP)
- Κανονισμός (ΕΕ) 605/2014 (VI Atp. CLP)
- Κανονισμός (ΕΕ) 2015/1221 (VII Atp. CLP)
- Κανονισμός (ΕΕ) 2016/918 (VIII Atp. CLP)
- Κανονισμός (ΕΕ) 2016/1179 (IX Atp. CLP)
- Κανονισμός (ΕΕ) 2017/776 (X Atp. CLP)
- Κανονισμός (ΕΕ) 2018/669 (XI Atp. CLP)
- Κανονισμός (ΕΕ) 2019/521 (XII Atp. CLP)
- Κατ' εξουσιοδότηση Κανονισμός (ΕΕ) 2018/1480 (XIII Atp. CLP)
- Κανονισμός (ΕΕ) 2019/1148
- Κατ' εξουσιοδότηση Κανονισμός (ΕΕ) 2020/217 (XIV Atp. CLP)
- Κατ' εξουσιοδότηση Κανονισμός (ΕΕ) 2020/1182 (XV Atp. CLP)
- Κατ' εξουσιοδότηση Κανονισμός (ΕΕ) 2021/643 (XVI Atp. CLP)
- Κατ' εξουσιοδότηση Κανονισμός (ΕΕ) 2021/849 (XVII Atp. CLP)
- Κατ' εξουσιοδότηση Κανονισμός (ΕΕ) 2022/692 (XVIII Atp. CLP)
- Κατ' εξουσιοδότηση Κανονισμός (ΕΕ) 2023/707
- Κατ' εξουσιοδότηση Κανονισμός (ΕΕ) 2023/1434 (XIX Atp. CLP)
- Κατ' εξουσιοδότηση Κανονισμός (ΕΕ) 2023/1435 (XX Atp. CLP)
- Κατ' εξουσιοδότηση Κανονισμός (ΕΕ) 2024/197 (XXI Atp. CLP)
- Κατ' εξουσιοδότηση Κανονισμός (ΕΕ) 2024/2564 (XXII Atp. CLP)
- Κανονισμός (ΕΕ) 2024/2865

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- Ιστοσελίδα Web IFA GESTIS
- Ιστοσελίδα Web Agenzia ECHA
- Βάση δεδομένων με πρότυπα δελτίων δεδομένων ασφαλείας (SDS) για χημικές ουσίες - Υπουργείο Υγείας και ISS (Istituto Superiore di Sanità) - Ιταλία

Σημείωση για το χρήστη:

οι πληροφορίες που περιέχονται στην καρτέλα αυτή βασίζονται στις γνώσεις που μας ήταν διαθέσιμες κατά την ημερομηνία της τελευταίας έκδοσης. Ο χρήστης πρέπει να βεβαιωθεί για την καταλληλότητα και πληρότητα των πληροφοριών σε σχέση με τη συγκεκριμένη χρήση του προϊόντος.

Το έγγραφο αυτό δεν πρέπει να θεωρηθεί ως εγγύηση οποιασδήποτε συγκεκριμένης ιδιότητας του προϊόντος.

Επειδή η χρήση του προϊόντος δεν γίνεται υπό τον άμεσο έλεγχό μας, ο χρήστης υποχρεούται να εφαρμόζει με προσωπική του ευθύνη τους νόμους και τις διατάξεις που ισχύουν σε ζητήματα υγιεινής και ασφάλειας. Αποποιούμαστε κάθε ευθύνης για ανορθόδοξες χρήσεις.

Χορηγήστε κατάλληλη εκπαίδευση στο αρμόδιο προσωπικό χειρισμού χημικών προϊόντων.

ΜΕΘΟΔΟΙ ΥΠΟΛΟΓΙΣΜΟΥ ΓΙΑ ΤΑΞΙΝΟΜΗΣΗ

Χημικοί και φυσικοί κίνδυνοι: Η ταξινόμηση προϊόντος προκύπτει από κριτήρια που καθιερώθηκαν από τον Κανονισμό CLP, Παράρτημα I, Μέρος 2. Οι μέθοδοι αξιολόγησης των χημικοφυσικών ιδιοτήτων αναφέρονται στην ενότητα 9.

Κίνδυνοι για την υγεία: Η ταξινόμηση προϊόντος βασίζεται σε μεθόδους υπολογισμού σύμφωνα με το Παράρτημα I του CLP, Μέρος 3, εκτός και αν καθορίζεται διαφορετικά στην Ενότητα 11.

Περιβαλλοντικοί κίνδυνοι: Η ταξινόμηση προϊόντος βασίζεται σε μεθόδους υπολογισμού σύμφωνα με το Παράρτημα I του CLP, Μέρος 4, εκτός και αν καθορίζεται διαφορετικά στην Ενότητα 12.

Αλλαγές σε σχέση με την προηγούμενη αναθεώρηση:

Επιφέρθηκαν μετατροπές στις ακόλουθες ενότητες:

02 / 03 / 09 / 11 / 12 / 15.